

### **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
2. Authorization for this examiner's amendment was given in a telephone interview with Mr. Robert M. Bain on 8/6/2008.
3. The application has been amended as follows:

### **Amendments to the Claims**

4. Please cancel claims 2-4, 18-20, 35 and 36.
5. Please amend claims 1, 5-8, 17, 21-24, 34 and 37, as attached:

### ***Response to the Amendments***

6. The amendment to the title, dated 6/17/2008 is acknowledged.

### ***Drawings***

7. The drawings filed on 11/25/2003 are acknowledged.

### ***Allowable Subject Matter***

8. Claims 1,5-17,21-34 and 37-39 are allowed.

***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Haresh Patel whose telephone number is (571) 272-3973. The examiner can normally be reached on Monday, Tuesday, Thursday and Friday from 10:00 am to 8:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nathan Flynn, can be reached at (571) 272-1915. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Haresh N. Patel/

Primary Examiner, Art Unit 2154

8/6/2008